

USER MANUAL

THIS USER MANUAL IS APPLICABLE TO THE FOLLOWING TWO VERSIONS.

V3.0 PRO

V3.0 PRO MAX



Model	V3.0 Pro	V3.0 Pro Max	
Compatible Heater	12	13	
Power	500w	750w	
Voltage	220V / 110V 50~60Hz		
Parameter	Temp. Range: 0-482 °F (0-2	50°C) Time Range: 0-999 seconds	

V3.0 PRO MAX EXCLUSIVE HEATER



MP280-BD32 Compatible Diameter: 8.8-10.2cm Max. Printable Length: 25cm

TUMBLER PRESS HEATING ATTACHMENTS AVAILABLE



MP270P-BD30 Compatible Diameter: 7.2-8.8cm Max. Printable Length: 24cm



MP270P-BD30T For 30oz Travel Mug



MP270P-BD3V / Conic For 3oz Shot Mug



MP270P-BD20S Compatible Diameter: 6-7.1cm Max. Printable Length: 24cm



MP270P-BD12V / Conic Upper Diameter: 6-7cm Lower Diameter: 8.8-10cm Max. Printable Length: 10cm



MP270P-BD12E / Wine Glass

For 12oz Wine Tumbler Heater



MP270P-BD20 Compatible Diameter: 7-8cm Max. Printable Length: 20.3cm



MP270P-BD11 Compatible Diameter: 7.2-8.7cm Max. Printable Length: 9.5cm



MP270P-BD15V / Conic Upper Diameter: 3.5-4.2cm Lower Diameter: 4.9-5.6cm Max. Printable Length: 6.2cm



Upper Diameter: 5.5-6.4cm Lower Diameter: 8-8.8cm Max. Printable Length: 15cm



Compatible Diameter: 6.5-8.1cm Max. Printable Length: 9.5cm



MP270P-BD10

MP270P-BD3 Compatible Diameter: 4.8-5.8cm Max. Printable Length: 6.2cm

Tumbler Heat Press

KNOW THE CONTROL PANEL



HOW TO USE THE CONTROL PANEL?

1. How to switch between °F and °C?



button to enter

mode.

temperature setting







As shown above, the current temperature unit is °C .



As shown above, the current temperature unit is °F.

2. How to clear the number of uses?





Long press "Start" button for 6 seconds to reset the counter.






3. How to set printing time and temperature?









Notes

temperature

setting mode;

- 1. No matter which interface is shown, if the pressure handle is pressed down, the machine will start countdown automatically. You can lift it up to stop the countdown.
- 2. No matter which interface is shown, if you press "Di" button, the machine will start countdown automatically. You can press "Di" button again to stop the countdown.
- 3. Technical Help: support@pydlife.com

HOW TO CHANGE THE HEATER?







Unscrew the heater;



3 Take out the heater from the left or right



Put the new heater in, make sure all the screw holes coincide;



5 Fix the new heater with the screws in the amount it needs:



6 Plug in the connect cable.

HOW TO PRINT A TUMBLER?



Fix the image on the tumbler tightly with thermal tape;



Adjust the pressure with the pressure knobs, press the tumbler to find the proper pressure;



Take out the tumbler and turn on the machine:



Wear protective gloves, release the handle and take out the tumbler when the time is up;



Peel off the paper and check the transferred image.



A Set the printing time and temperature;



As the machine heats up to the set temperature, put the tumbler into the



6 Press down the handle;

Safety Instructions

- Don't touch the tumbler heater as the machine is heating or still hot.
 This machine is not intended for use by children.





NOTES:

- 1. Do not heat the machine without a tumbler inside in case of burnout.
- Do not touch the heater directly without any protection.
 If the machine works for more than 1.5 hours, it is better to turn it off for a 20-minute break.
- 4. When the printing is just finished and the heater is still hot. You can put in a tumbler to absorb the heat, which can extend the lifespan of heater.

Printing Parameters

No.	Item Name	Temp.	Time(S)	Remark
1	Stainless Steel Skinny Tumbler	180°C (356 °F)	60	 Print on sublimation paper, mirror image; Take off the lid before printing; Use low pressure.
2	Ceramic/Glass Mug	180°C (356 °F)	280	 Print on sublimation paper, mirror image; Place the mug into the heater in proper position to avoid handle breaking; Use medium pressure
3	Water Bottle (Aluminum/ Stainless Steel Material)	180°C (356 °F)	60	 Print on sublimation paper, mirror image; Take off the lid before printing; Use low pressure.
4	Plastic Mug	180°C (356 °F)	280	 Print on sublimation paper, mirror image; Put the printing tool into the mug before printing to avoid deformation; Use low pressure.

NOTES:

- The above parameters only apply to this tumbler heat press machine.
 The above parameters are tested on the basis of our machine and consumables and are for reference only, please test them yourself to find the right parameters for your product.

FAQS:

Colors are lighter	The temperature is too low, the pressure is uneven, or the time is too short.	
Printed picture is vague	The printing time is long, which causes the ink spread.	
Colors are less bright	The pressure is too high or the temperature is too high.	
Printed picture is partially vague	The heat is uneven.	
Colors are different	The pressure is uneven or the surface of the printed item is uneven.	
The paper sticks on the printed item	The temperature is too high or the coating of the item is in poor quality.	