



Office

Rm 4409, No. 372, Huanshi
Dong Road, Yuexiu District,
Guangzhou, 510060,
China



Website:

www.pydlife.com



Mob/WhatsApp:

+86 19924795321



E-mail:

sales01@pydlife.com



Small Format Heat Press

USER MANUAL



PLCE-PB2330FBL-1-US


STRUCTURE

Items Included:

Craft Express Heat Press X1
Instruction Manual X1


Structure

- 1. Pressure Regulator
- 2. Pressure Handle
- 3. Heat Platen
- 4. Adjustable Support Stand
- 5. Digital Control Meter
- 6. Control Box
- 7. Power Switch
- 8. Base Plate



Item No.	PLCE-PB2330FBL-1-US	Time Range	0-999 seconds
Voltage	110V	Heat platen size	23*30cm/ 9"x12"
Power	950W	Packing	Foam packing, 1 set/ctn
Temperature	0-482 °F (0-250°C)	Weight	17kg

KNOW THE CONTROL PANEL



HOW TO USE THE CONTROL PANEL?

1. How to switch between °F and °C ?




1. Long press "SET" button for 5 seconds to enter temp. unit switching mode;



2. Press "↓" and "↑" buttons to switch between °F and °C ;



3. Long press "SET" button for 5 seconds again to save the setting.



As shown above, the current temperature unit is °C .





As shown above, the current temperature unit is °F .

2. How to clear the number of uses?



Long press "CLEAR" button for 8 seconds to reset the counter.




3. How to set printing time and temperature?



1. Turn on the machine, press "SET" button to enter temperature setting mode first;

↓ Temp. Setting Interface




2. Press "↓" and "↑" buttons to adjusting the value;



3. Press "SET" button again to enter time setting mode;

↓ Time Setting Interface



4. Press "↓" and "↑" buttons to adjusting the value;



5. Last, press "SET" button again to save the settings and exit setting mode.

Notes

- A. No matter which interface is shown, if the heat platen is pressed down, the machine will start countdown automatically. You can lift up the heat platen to stop the countdown.
- B. No matter which interface is shown, if you press "CLEAR" button, the machine will start countdown automatically. You can press "CLEAR" button again to stop the countdown.

HOW TO START PRINTING?



- 1 Place the machine on your desk, open the support stand to make the machine stand firmly;



- 2 Put a piece of protective paper on the silicon mat, so the inks won't ruin the silicon mat and the printed items;



- 3 Fix the image on the printed item with thermal tape;



- 4 Put the item on silicon mat with the image facing down, and cover them with another piece of protective paper;



- 5 Adjust the printing pressure;



- 6 Turn on the machine;



- 7 Set printing time and temperature, and wait for the machine to heat up;



- 8 As the machine heats to the set temperature, press down the handle, and the machine will start countdown automatically;



- 9 After countdown, lift up the handle to open the heat platen;



- 10 Remove the image as it cools down;



- 11 Check the amazing printout result!



Safety Instructions

1. Don't touch the heat platen as the machine is heating.
2. Don't touch the heat platen and silicon mat when the machine remains hot.
3. This machine is not intended for use by children.